K-STRONG®

UNRIVALED SAFETY.

2022

Q3 - MINI CATALOG



SELF-RETRACTING LIFELINES

KStrong offers a full range of self-retracting lifeline solutions to meet nearly every user requirement and for a wide variety of applications. Whether the user is working in construction, utilities maintenance or general industry and the installation is overhead at foot-level or personally attached to the harness, Micron™ and BRUTE™ SRLs provide durable performance and reliability that's supported with 3rd-party testing documentation to meet all applicable industry standards.

BRUTE™ SRL Series | Overhead

	Model	Length	Cable Type	Attachment End	Installation Carabiner	Tag Line
A	**UFS330008**	8 ft.	Stainless Steel	Snap Hook	UFC401101	
B	**UFS310010**	10 ft.	Steel	Snap Hook	UFC401101	
C	**UFS310020**	20 ft.	Steel	Snap Hook	UFC401101	Included
D	**UFS310030**	30 ft.	Steel	Snap Hook	UFC401101	Included
E	**UFS310050**	50 ft.	Steel	Snap Hook	UFC401101	Included
F	**UFS310100**	100 ft.	Steel	Snap Hook	UFC401101	Included



SELF-RETRACTING LIFELINES (Continued)

BRUTE™ SRL Series | Overhead

	Model	Length	Cable Type	Attachment End	Installation Carabiner	Tag Line
G	UFS310130	30 ft.	Steel	Carabiner	UFC401101	Included
H	UFS310150	50 ft.	Steel	Carabiner	UFC401101	Included
J	UFS350011	11 ft.	Webbing	Snap Hook	UFC401101	
K	UFS350025	25 ft.	Webbing	Snap Hook	UFC401101	Included



UFC401101 Carabiners included with every BRUTE™ SRL and SRL-LE. Tag Lines also included for all models 18 ft. and longer.

BRUTE™ SRL SERIES




SELF-RETRACTING LIFELINES (Continued)

BRUTE™ SRL Series | Personal


	Model	Length	Lifeline	Attachment End	Installation Carabiner
A	UFS359506	8 ft.	Hi-Abrasion Resistant Dyneema Web	Tie-back Hook	UFC409151
B	UFS359506D	Twin 8 ft.	Hi-Abrasion Resistant Dyneema Web	Tie-back Hooks	UFC409151

BRUTE™ SRL SERIES

FRONT VIEW



SIDE VIEW



Meets or Exceeds ANSI Z359.14-2014 Class B



MICRON™ SRL SERIES

OSHA RATED 420 LBS. MICRON

Micron™ SRL Series | Personal



	Model	Length	Description
C	UFS350002	6 ft.	Steel Snap Hook; comes with locking carabiner UFC401101
D	UFS350002D	6 ft.	Twin Model - Steel Snap Hook; comes with UFC409151
E	UFS351102	6 ft.	Aluminum Carabiner; comes with locking carabiner UFC401101
F	UFS351102D	6 ft.	Twin Model - Aluminum Carabiner; comes with UFC409151
G	UFS354002	6 ft.	Steel Rebar Hook; comes with locking carabiner UFC401101
H	UFS354002D	6 ft.	Twin Model - Steel Rebar Hook; comes with UFC409151
J	UFS356002	6 ft.	Aluminum Rebar Hook w/ Steel ANSI Gate; comes with locking carabiner UFC401101
K	UFS356002D	6 ft.	Twin Model - Aluminum Rebar Hook w/ Steel ANSI Gate; comes with UFC409151
L	UFS359002	9 ft.	Tie-back Hook; comes with locking carabiner UFC401101
M	UFS359002D	9 ft.	Twin Model - Tie-back Hook; comes with UFC409151
N	UFC409151	Twin/Single Connector (Steel Pin)	



BRUTE™ LE SRL Series | Leading Edge (LE) Rated

BRUTE™ SRL SERIES LE



	Model	Length	Installation Carabiner	Tag Line
A	**UFS310018L**	18 ft.	UFC401101	Included
B	**UFS310025L**	25 ft.	UFC401101	Included
C	**UFS310050L**	50 ft.	UFC401101	Included
D	**UFS310080L**	80 ft.	UFC401101	Included





UFC401101 Carabiners included with every BRUTE™ SRL and SRL-LE. Tag Lines also included for all models 18 ft. and longer.

BRUTE Backer™ LE SRL Series | Leading Edge (LE) Rated













Tie-Back Webbing

BRUTE BACKER™ LE
WE'VE GOT YOUR BACK.

	Model	Length	Description
E	UFS310206L	8.5 ft.	Steel Snap Hook; comes with locking carabiner UFC401101
F	UFS310206LD	8.5 ft.	Twin Model - Steel Snap Hook; comes with UFC409151
G	UFS314006L	8.5 ft.	Steel Rebar Hook; comes with locking carabiner UFC401101
H	UFS314006LD	8.5 ft.	Twin Model - Steel Rebar Hook; comes with UFC409151
J	UFS316106L	8.5 ft.	Aluminum Rebar Hook; comes with locking carabiner UFC401101
K	UFS316106LD	8.5 ft.	Twin Model - Aluminum Rebar Hook; comes with UFC409151
L	UFS319006L	8.5 ft.	Tie-back Hook; comes with locking carabiner UFC401101
M	UFS319006LD	8.5 ft.	Twin Model - Tie-back Hook; comes with UFC409151
N	UFC409151	Twin/Single Connector (Steel Pin)	



BRUTE-AL™ SRL Series

Rugged Durable Aluminum Housing

BRUTE 13 AL ALUMINUM SRL SERIES ™

BRUTE 13 AL ALUMINUM LEADING EDGE ™



	Model	Length
A	UFS480020	20 ft.
B	UFS480030	30 ft.
C	UFS480050	50 ft.
D	UFS480020L	20 ft. LE
E	UFS480025L	25 ft. LE
F	UFS480050L	50 ft. LE

UFC401101 Carabiners included with every BRUTE™ SRL and SRL-LE. Tag Lines also included for all models 18 ft. and longer.

BRUTE™ Sealed Series | Sealed Block SRL's (IP68 Level of IEC 60529) with Stainless Steel Cable and Snap Hook

BRUTE™ SEALED SERIES



IP68 Level of IEC 60529

	Model	Length
G	UFS570030	30 ft.
H	UFS570060	60 ft.
Not Shown	UFS5700100	100 ft.



Stainless Steel Carabiners included with every BRUTE™ Sealed SRL. Tag Lines also included.

When it comes to your fall protection equipment, a full-body harness is the single most important equipment choice you can make for your crew. While KStrong harnesses are built to meet or exceed ANSI standards and OSHA regulations, we've also designed comfort, lumbar support, positioning rings and accessibility into our body wear with continued freedom of movement, sustained safety and improved productivity for workers at height. KStrong harnesses provide workers with confidence, which directly affects the user's productivity. While many of our safety harnesses can be used on most jobs, we also manufacture innovative full-body harnesses for specific uses within different industries.

KAPTURE™ HARNESS SERIES

Kapture™ Essential | 3-point Adjustment | Available Sizes: Universal (S-L), L-XL

KAPTURE™ ESSENTIAL LV1 || FULL BODY HARNESS

UFH10101G | Tongue Buckle Legs



UFH10101P | Pass-Thru Legs



Kapture™ Essential | 3-point Adjustment | Available Sizes: Universal (S-L), L-XL

KAPTURE™ ESSENTIAL LV1 || FULL BODY HARNESS

UFH10131G | Tongue Buckle Legs & Side D-Rings



UFH10131P | Pass-Thru Legs & Side D-Rings



Kapture™ Essential+ | 5-point Adjustment | Available Sizes: S-M, M-L, L-XL, XL-2XL

KAPTURE™ ESSENTIAL+
LV1 || FULL BODY HARNESS

UFH16201GP | Tongue Buckle Legs & with Removable Back/Shoulder Pad



UFH16231GP | Back/Shoulder Pad and Waist Belt, 3 D-rings, Tongue Buckle Legs



Kapture™ Essential | 3-point Adjustment | Available Sizes: Universal (S-L), L-XL

KAPTURE™ ESSENTIAL
LV1 || FULL BODY HARNESS

UFH10102G | Tongue Buckle Legs, Dorsal D-Ring with Sewn In 18" Extension O-Ring



UFH10102P | Pass-Thru Legs, Dorsal D-Ring with Sewn In 18" Extension O-Ring



Kapture™ Elite | 5-point Adjustment | Available Sizes: S-M, M-L, L-XL, XL-2XL, 2XL-3XL

UFH10201G | Tongue Buckle Legs



Kapture™ Elite | 5-point Adjustment | Available Sizes: S-M, M-L, L-XL

UFH10201P | Pass-Thru Legs



Kapture™ Elite | 5-point Adjustment | Available Sizes: S-M, M-L, L-XL

UFH10231G | Tongue Buckle Legs & Side D-Rings



UFH10231P | Pass-Thru Legs & Side D-Rings



Kapture™ Elite | 5-point Adjustment | Available Sizes: S-M, M-L, L-XL

UFH10251G | Climbing FBH, TB Legs, Front & Side D-rings



UFH10251P | Climbing FBH, PT Legs, Front & Side D-rings




Kapture™ Elite | 5-point Adjustment | Available Sizes: S-M, M-L, L-XL, XL-2XL, 2XL-3XL

UFH10211G | Front D-Ring, Tongue Buckle Legs



Harness Accessories

UFZ850100 | Trauma Step-Up Relief; Retrofits to Most Harnesses





Kapture™ Elite+ Harnesses featuring D-Ring Plus™



Step 1:



Open Dual Connector.

Step 2:



Insert Dual Connector into D-Ring Plus™.

Step 3:



Fully close/lock Dual Connector.

Step 4:



Fast, easy, and safe. You're all finished.

Kapture™ Elite+ | 5-point Adjustment, Shoulder/Back Pad | Available Sizes: S-M, M-L, L-XL, XL-2XL

UFH15201GQ | Tongue Buckle Legs, Quick Connect Chest, Enhanced Dorsal D-ring

KAPTURE™ ELITE+ LV2 || FULL BODY HARNESS



Kapture™ Elite+ | 5-point Adjustment, Shoulder/Back Pad | Available Sizes: S-M, M-L, L-XL, XL-2XL

UFH15203GQ | Spring Torso Adjusters, Enhanced Aluminum Dorsal D-ring Plus, Quick Connect Chest, Multi-Flex Feature for Ease of Mobility, Tongue Buckle Legs

KAPTURE™ ELITE+ LV2 || FULL BODY HARNESS



Kapture™ Elite+ | 5-point Adjustment, Comfort Shoulder/Back Pad | Available Sizes: S-M, M-L, L-XL, XL-2XL

KAPTURE™ ELITE+ LV2 || FULL BODY HARNESS

UFH152011GQ | Front D-Ring, Tongue Buckle Legs, Quick Connect Chest



UFH15201Q | Quick Connect Chest and Leg Buckles



Kapture™ Elite+ | 5-point Adjustment, Comfort Shoulder/Back Pad | Available Sizes: S-M, M-L, L-XL, XL-2XL

KAPTURE™ ELITE+ LV2 || FULL BODY HARNESS

UFH15231Q | Quick Connect Chest and Leg Buckles, Side D-Rings



UFH15231GQ | Quick Connect Chest, Tongue Buckle Legs, Side D-Rings



Kapture™ Epic | 5-point Adjustment, Comfort Back Pad & Belt | Available Sizes: Universal (S-L), L-XL

KAPTURE™ EPIC
LV3 || FULL BODY HARNESS

UFH10331G | Quick Connect Chest, Tongue Buckle Legs, Side D-rings



UFH10331P | Quick Connect Chest & Legs, Side D-rings



Kapture™ Epic+ | 5-point Adjustment, Comfort Back Pad & Belt | Available Sizes: S-M, M-L, L-XL, XL-2XL, 2XL-3XL

KAPTURE™ EPIC+
LV3 || FULL BODY HARNESS

UFH10332G | Quick Connect Chest, Tongue Buckle Legs, Enhanced Dorsal D-ring Plus, Side D-rings



UFH10332P | Quick Connect Chest & Legs, Enhanced Dorsal D-ring Plus, Side D-rings



Harness Accessories

UFZ801001 | Removable Shoulder Yoke Comfort Pad for use with full body harnesses



Kapture™ Epic+ | 5-point Adjustment, Comfort Back Pad & Belt | Available Sizes: S-M, L-XL

UFH10341G | Quick Connect Chest, Tongue Buckle Legs, Enhanced Dorsal D-ring Plus, Front & Side D-rings

KAPTURE™ EPIC+ LV3 || FULL BODY HARNESS



Kapture™ Element | 5-point Adjustment, Revolta™ Webbing | Available Sizes: S-M, M-L, L-XL, XL-2XL

UFH10801GQ | Quick Connect Chest, Tongue Buckle Legs, Enhanced Dorsal D-ring Plus

KAPTURE™ ELEMENT LV4 || FULL BODY HARNESS



Kapture™ Epic | Padded Waist Tool Belts with D-Rings

KAPTURE™ EPIC LV3 || FULL BODY HARNESS

UFZ840020 | 1 Rear Restraint D-ring with Removable Tool Belt



UFZ840010 | 2 Work Positioning Side D-rings with Removable Tool Belt



Belt & Leg Strap Sizing

Harness Size	Waist Circumference (in.)	Leg Circumference (in.)
Small - Medium	*Belt not provided in this size*	24 - 37
Medium - Large	*Belt not provided in this size*	24 - 39
Universal (Small - Large)	33 - 46	27 - 42
Large - X-Large	33 - 49	27 - 43
X-Large - 2X-Large	33 - 50	27 - 45

Harness Accessories

UFZ801011 | 54" Removable Tool Belt

UFZ801012 | 60" Removable Tool Belt




Harness Features Chart

Kapture™ Series	Model	Adjustment Points & Special Feature(s)	D-Ring Configuration	Leg Straps			Belt	Pads	Available Sizes					Minimum Standards Met
				Pass Thru	Tongue Buckle	Quick Connect			Universal (S - L)	S - M	M - L	L - XL	XL - 2XL	
Essential	UFH10101P	3	Back (Dorsal)	⚡					⚡			⚡		OSHA & ANSI Z359.11-2014
Essential	UFH10101G	3	Back (Dorsal)		⚡				⚡			⚡		OSHA & ANSI Z359.11-2014
Essential	UFH10102P	3	Back (Dorsal) with 18" Ext. O-ring	⚡					⚡			⚡		OSHA & ANSI Z359.11-2014
Essential	UFH10102G	3	Back (Dorsal) with 18" Ext. O-ring		⚡				⚡			⚡		OSHA & ANSI Z359.11-2014
Essential	UFH10131P	3	Back (Dorsal) & Sides	⚡					⚡			⚡		OSHA & ANSI Z359.11-2014
Essential	UFH10131G	3	Back (Dorsal) & Sides		⚡				⚡			⚡		OSHA & ANSI Z359.11-2014
Essential+	UFH16201GP	5	Back (Dorsal)		⚡			Removable Shoulders & Back		⚡	⚡	⚡	⚡	OSHA & ANSI Z359.11-2014
Essential+	UFH16231GP	5	Back (Dorsal) & Sides		⚡		⚡	Shoulders & Back		⚡	⚡	⚡	⚡	OSHA & ANSI Z359.11-2014
Elite	UFH10201P	5	Back (Dorsal)	⚡						⚡	⚡	⚡		OSHA & ANSI Z359.11-2014
Elite	UFH10201G	5	Back (Dorsal)		⚡					⚡	⚡	⚡	XL-2X, 2X-3X	OSHA & ANSI Z359.11-2014
Elite	UFH10211G	5	Back (Dorsal), Front		⚡					⚡	⚡	⚡	XL-2X, 2X-3X	OSHA & ANSI Z359.11-2014
Elite	UFH10231P	5	Back (Dorsal) & Sides	⚡						⚡	⚡	⚡		OSHA & ANSI Z359.11-2014
Elite	UFH10231G	5	Back (Dorsal) & Sides		⚡					⚡	⚡	⚡		OSHA & ANSI Z359.11-2014
Elite	UFH10251P	5, Crossover Design	Back (Dorsal), Front & Sides	⚡						⚡	⚡	⚡		OSHA & ANSI Z359.11-2014
Elite	UFH10251G	5, Crossover Design	Back (Dorsal), Front & Sides		⚡					⚡	⚡	⚡		OSHA & ANSI Z359.11-2014
Elite+	UFH15201GQ	5	Enhanced Back (Dorsal)		⚡	Chest		Shoulders & Back		⚡	⚡	⚡	XL-2X, 2X-3X	OSHA & ANSI Z359.11-2014
Elite+	UFH152011GQ	5	Enhanced Back (Dorsal), Front		⚡	Chest		Shoulders & Back		⚡	⚡	⚡	⚡	OSHA & ANSI Z359.11-2014
Elite+	UFH15201Q	5	Enhanced Back (Dorsal)			⚡ + Chest		Shoulders & Back		⚡	⚡	⚡	⚡	OSHA & ANSI Z359.11-2014
Elite+	UFH15203GQ	5, Multi-Flex, Spring Torso Adjusters	Enhanced Back (Dorsal)		⚡	Chest		Removable Shoulders & Back		⚡	⚡	⚡	⚡	OSHA & ANSI Z359.11-2014
Elite+	UFH15231Q	5	Enhanced Back (Dorsal) & Sides			⚡ + Chest		Shoulders & Back		⚡	⚡	⚡	⚡	OSHA & ANSI Z359.11-2014
Elite+	UFH15231GQ	5	Enhanced Back (Dorsal) & Sides		⚡	Chest		Shoulders & Back		⚡	⚡	⚡	⚡	OSHA & ANSI Z359.11-2014

Harness Features Chart (Continued)

Kapture™ Series	Model	Adjustment Points & Special Feature(s)	D-Ring Configuration	Leg Straps			Belt	Pads	Available Sizes					Minimum Standards Met
				Pass Thru	Tongue Buckle	Quick Connect			Universal (S - L)	S - M	M - L	L - XL	XL - 2XL	
Epic	UFH10331P	5	Back (Dorsal) & Sides			⚡ + Chest	⚡	Shoulders & Back	⚡			⚡		OSHA & ANSI Z359.11-2014
Epic	UFH10331G	5	Back (Dorsal) & Sides		⚡	Chest	⚡	Shoulders & Back	⚡			⚡		OSHA & ANSI Z359.11-2014
Epic	UFH10341G	5	Enhanced Back (Dorsal), Front & Sides		⚡	Chest	⚡	Shoulders & Back		⚡		⚡		OSHA & ANSI Z359.11-2014
Epic+	UFH10332P	5	Enhanced Back (Dorsal) & Sides			⚡ + Chest	⚡	Shoulders & Back		⚡	⚡	⚡	XL-2X, 2X-3X	OSHA & ANSI Z359.11-2014
Epic+	UFH10332G	5	Enhanced Back (Dorsal) & Sides		⚡	Chest	⚡	Shoulders & Back		⚡	⚡	⚡	XL-2X, 2X-3X	OSHA & ANSI Z359.11-2014
Element	UFH10801GQ	5, Revolta™ Oil and Water Repellent	Enhanced Back (Dorsal)		⚡	Chest				⚡	⚡	⚡	⚡	OSHA & ANSI Z359.11-2014
Element	UFH10700P	5, Arc Flash Rated	Back (Dorsal)	⚡					⚡			⚡		OSHA & ANSI Z359.11-2014
Element	UFH10701P	5, Arc Flash Rated	Back (Dorsal) & Sides	⚡					⚡			⚡		OSHA & ANSI Z359.11-2014
Element	UFH10731P	5, Arc Flash Rated	Back (Dorsal) & Sides	⚡			⚡	Removable Shoulders & Back	⚡			⚡		OSHA & ANSI Z359.11-2014
Element	UFH10732P	5, Arc Flash Rated	Back (Dorsal), Front & Sides	⚡			⚡	Removable Shoulders & Back	⚡			⚡		OSHA & ANSI Z359.11-2014

Harness Sizing Chart



Kapture™ Element | Arc Flash Rated 5-point Adjustment | Available Sizes: Universal (S-L), L-XL

KAPTURE™ ELEMENT
LV4 || FULL BODY HARNESS

UFH10700P | Mating Buckle Legs & Chest



UFH10701P | Mating Buckle Legs & Chest, Side D-rings



Kapture™ Element | Arc Flash Rated 5-point Adjustment, Back/Shoulder Pad | Available Sizes: Universal (S-L), L-XL

KAPTURE™ ELEMENT
LV4 || FULL BODY HARNESS

UFH10731P | Padded Belt, MB Legs & Chest, Side D-rings



UFH10732P | Padded Belt, MB Legs & Chest, Front & Side D-rings



Harness Accessories


UFZ800100 | 18" Clear Pack SAL with snap hook and D-ring



UFZ802001 | 18" Lanyard extender with snap hook, other end O-ring



UFZ802011 | D-ring Extender with Loop and O-Ring



Harness & Lanyard Combo Kits

UFK10010(S-L) | 3 pt. FBH, MB Legs, and 6' Internal SAL with Snap Hooks Size: S-L
UFK10010(L-XL) | 3 pt. FBH, MB Legs, and 6' Internal SAL with Snap Hooks Size: L-XL



UFK10015(S-L) | 3 pt. FBH, MB Legs, and 6' Internal SAL with Loop & Snap Hook Size: S-L
UFK10015(L-XL) | 3 pt. FBH, MB Legs, and 6' Internal SAL Loop & Snap Hook Size: L-XL



UFK10025(S-L) | 3 pt. FBH, MB Legs, and 6' Internal SAL Twin Leg 100% Tie Off with Loop & Rebar Hooks Size Size: S-L
UFK10025(L-XL) | 3 pt. FBH, MB Legs, and 6' Internal SAL Twin Leg 100% Tie Off with Loop & Rebar Hooks Size: L-XL



UFK20010(S-M) | 5 pt. FBH, MB Legs, and 6' Internal SAL with Snap Hooks Size: S-M
UFK20010(M-L) | 5 pt. FBH, MB Legs, and 6' Internal SAL with Snap Hooks Size: M-L
UFK20010(L-XL) | 5 pt. FBH, MB Legs, and 6' Internal SAL with Snap Hooks Size: L-XL



UFK20015(S-M) | 5 pt. FBH, MB Legs, and 6' Internal SAL with Loop & Snap Hook Size Size: S-M
UFK20015(M-L) | 5 pt. FBH, MB Legs, and 6' Internal SAL with Loop & Snap Hook Size Size: M-L
UFK20015(L-XL) | 5 pt. FBH, MB Legs, and 6' Internal SAL with Loop & Snap Hook Size Size: L-XL



UFK20025(S-M) | 5 pt. FBH, MB Legs, and 6' Internal SAL Twin Leg 100% Tie Off with Loop & Rebar Hooks Size: S-M
UFK20025(M-L) | 5 pt. FBH, MB Legs, and 6' Internal SAL Twin Leg 100% Tie Off with Loop & Rebar Hooks Size: M-L
UFK20025(L-XL) | 5 pt. FBH, MB Legs, and 6' Internal SAL Twin Leg 100% Tie Off with Loop & Rebar Hooks Size: L-XL




CONNECTORS

KStrong's extensive selection of connectors for fall arrest, work positioning and restraint applications is built on years of dependable construction, performance and quality through rigorous testing to provide your crew with ultimate protection. When you need to be connected, KStrong has the right equipment for the job!


	Model	Length	Shock Absorption	Description
A	UFL201601	6 ft.	Clear Shock Pack	LE Rated with Snap Hooks
B	UFL201621	6 ft.	Clear Shock Pack	LE Rated Y with Snap Hooks
C	UFL201611	6 ft.	Clear Shock Pack	LE Rated with Rebar Hook
D	UFL201622	6 ft.	Clear Shock Pack	LE Rated Y with Rebar Hooks

	Model	Length	Shock Absorption	Description
E	UFL204101	6 ft.	Internal	Snap Hooks
F	UFL204111	6 ft.	Internal	Snap Hook & Rebar Hook
G	UFL204121	6 ft.	Internal	Y with Snap Hooks
H	UFL204131	6 ft.	Internal	Y with Rebar Hooks

Energy Absorbing Lanyards | LE Rated for up to 12 ft. Free-fall



Energy Absorbing Lanyards | 6 ft. Internal Shock Absorption



CONNECTORS (Continued)

	Model	Length	Shock Absorption	Description
J	UFL206101	4.5 - 6 ft.	Internal - Elasticated	Snap Hooks
K	UFL206111	4.5 - 6 ft.	Internal - Elasticated	Snap Hook & Rebar Hook
L	UFL206121	4.5 - 6 ft.	Internal - Elasticated	Y with Snap Hooks
M	UFL206131	4.5 - 6 ft.	Internal - Elasticated	Y with Rebar Hooks
N	UFL206214	4.5 - 6 ft.	Internal - Elasticated	Aluminum Snap Hook & Rebar Hook
O	UFL206234	4.5 - 6 ft.	Internal - Elasticated	Y with Aluminum Rebar Hooks

Energy Absorbing Lanyards | Elasticated 4.5 ft. - 6 ft.









CONNECTORS (Continued)

	Model	Length	Shock Absorption	Description
P	UFL201101(03)	3 ft.	Clear Shock Pack	Snap Hooks
Q	UFL201101	6 ft.	Clear Shock Pack	Snap Hooks
R	UFL201111	6 ft.	Clear Shock Pack	Snap Hook & Rebar Hook
S	UFL201121	6 ft.	Clear Shock Pack	Y with Snap Hooks
T	UFL201131	6 ft.	Clear Shock Pack	Y with Rebar Hooks
U	UFL201421	6 ft.	Clear Shock Pack	Y with Tie-back Hooks

	Model	Length	Shock Absorption	Description
V	UFL201301	4.5 - 6 ft.	Clear Shock Pack	Adjustable with Snap Hooks
W	UFL201331	4.5 - 6 ft.	Clear Shock Pack	Adjustable Y with Rebar Hooks
X	UFL201402	6 ft.	Clear Shock Pack	Adjustable 4.5'-6' with snap hook and one tie-back hook
Y	UFL201422	6 ft.	Clear Shock Pack	Y with Tie-back Hooks & Adjustable D-rings

Energy Absorbing Lanyards | 6 ft. Clear Shock Pack



Energy Absorbing Lanyards | 4.5 - 6 ft. Adjustable with Clear Shock Pack



Energy Absorbing Lanyards | 6 ft. Arc Flash





	Model	Length	Shock Absorption	Description
Z	UFL201701	6 ft.	Shock Pack	Dielectric Arc Flash Rated with snap hook & rebar hook
AA	UFL201721	6 ft.	Shock Pack	Y Dielectric Arc Flash Rated with rebar hooks
AB	UFL205201	6 ft.	N/A	Snap Hooks
AC	UFL205215	4.5 - 6 ft.	N/A	Adjustable with Forged Steel Snap Hooks
AD	UFL205211	4.5 - 6 ft.	N/A	Adjustable with Snap Hooks
AE	UFL205201(02)	2 ft.	N/A	Snap Hooks
AF	UFL205201(03)	3 ft.	N/A	Snap Hooks
AG	UFL205401		N/A	WPL Chain Assembly
AH	UFL205251		N/A	WPL Web Assembly

Work Positioning Lanyards



Work Positioning Devices





CONNECTORS (Continued)

Carabiners

UFC401100 | Steel Carabiner with .84" gate opening



UFC401110 | Small Steel Carabiner with 1" gate opening



UFC408120 | Steel Carabiner with 2" gate opening



UFC408450 | Large Aluminum Rebar Hook with 2" gate opening



UFC401400 | Aluminum Bulb Type Carabiner with .67" gate opening



UFC401101 | Oval Steel Carabiner with .67" gate opening



UFC404450 | Small aluminum quarter turn locking carabiner with swivel load indicator



UFC404500 | Steel Swivel Snap hook with load indicator



UFC404150 | Stamped Steel Snap Hook



UFC405100 | Tie-back snap hook with 5000 lb. rated gate.




UFC408100 | Large rebar hook, stamped - 2.63" opening



Vertical Ascent

Polysteel 5/8" Rope
UFR100025 | 25 ft., **UFR100050 |** 50 ft., **UFR100100 |** 100 ft., **UFR200200 |** 200 ft., **UFR100500 |** 500 ft.



UFG601010 | Anti-panic Self-tracking Rope Grab for 5/8" Rope



UFG611020 | Manual 3 ft. Shock Absorbing Rope Grab Assembly



UFG611010 | 3' Self tracking non-captive openable shock absorbing rope grab assembly. For use on 5/8" rope.



White Polydac Rope
UFR200025 | 25 ft., **UFR200050 |** 50 ft., **UFR200100 |** 100 ft., **UFR200200 |** 200 ft., **UFR200500 |** 500 ft.



White Polydac Rope w/ 2 Snap Hooks
UFR210025 | 25 ft., **UFR210050 |** 50 ft., **UFR210100 |** 100 ft., **UFR210200 |** 200 ft.



UFG602050 | Stainless Steel Cable Grab for 8mm Wire Rope with 7x19 Construction. Attachable/Detachable at any Point on Lifeline. Includes Attachment Carabiner.



ANCHORAGES

Selecting an appropriate anchorage connector for your fall arrest system is a critical element in protecting yourself and others from fall hazards. Designed to fit a broad scope of general and specific user applications, our offering of anchorage connectors meets those requirements head-on by providing a secure point of attachment. Fall arrest anchors are identified by what they connect such as steel anchors, concrete anchors, roof anchors and specialty safety anchors designed for your unique applications. Your crew can work with confidence knowing each connector is rigorously tested and meets or exceeds industry standards.

Anchors | Concrete & Steel

UFA30090 | 3/4" Removable Bolt Anchor for Concrete



UFA30080 | Removable Steel Girder Anchor



UFASWK58 | 10K Swivel Anchor Steel Kit w/ 5/8 x 4" G8 Steel Bolt Lockwasher & Locknut



UFA30050 | Steel weld-on or bolt-on anchor point



UFA30301 | Bolt-on steel two hole d-ring anchor



Roofing

UFB501125 - Roofers Boxed Kit with 3-point Adjustable Harness (size L- XL), 25 ft. Vertical 5/8" Diameter Polysteel Lifeline with snap hook on anchor end, other end folded with heat shrink cover, 3 ft. shock absorbing rope grab assembly, and reusable hinged roof anchor (ANSI).



UFB101025 - 25 ft. Rope | **UFB101050 -** 50 ft. Rope
Roofers Kit with 5-point Adjustable Harness (size L- XL), 25 ft. or 50 ft. Vertical 5/8" Diameter Polysteel Lifeline with snap hook on anchor and, other end taped, 3 ft. shock absorbing rope grab assembly, reusable hinged roof anchor, storage bucket and lid (ANSI)



ANCHORAGES (Continued)

Roofing

UFA30015 | Single Use Steel, Raised



UFA30001 | Hinged Reusable



Riser Post Roof Anchor for Concrete Decks
UFA55207SW(12) - 12”
UFA55207SW(18) - 18”



UFA000WT | Wood Truss Anchor / 1,800lbf



UFA30010 | Single Use Steel



UFA30020 | Permanent Use Stainless Steel



UFA30005 | Reusable heavy duty chain roof anchor



UFA30211 | Stand Alone Post for SRL on Standing Trapezoidal Metal Roof Deck; 360° rotation



UFA55370 | Single Seam Roof Anchor



UFA30201 | Stand Alone Post for SRL on Standing Seam Metal Roof Deck; Seam Widths Ranging from 24” - 36”; 360° rotation



Specialty Anchors


UFA30430 - Vertical Post for Containers



UFDA0472 | 5K Drop Thru Anchor with Swivel D-ring- 4” Round Plate with 6’ Cable



UFA30070 | Parapet Anchor Clamp with Extended Movable Arm



Anchors | I-beam

UFA30110 | I-beam anchor, Adjustable to fit flange widths of 3.5” to 14”



UFA30115 | I-beam anchor, Adjustable to fit flange widths of 3.5” to 6”



UFA30130 | Aluminum and Steel Rolling Beam Anchor, adjustable 3.14” - 9.84”



Anchors | Wire Cable Slings

Wire Cable Sling, large and small O-rings



Model	Length
UFA710103	3 ft.
UFA710104	4 ft.
UFA710106	6 ft.

Wire Cable Sling with snap hook and large O-ring



Model	Length
UFA710003	3 ft.
UFA710004	4 ft.
UFA710006	6 ft.

Multipurpose

Choker Style Anchor Strap with Wear Pad



Model	Length
UFA20003	3 ft.
UFA20004	4 ft.
UFA20006	6 ft.
UFA20010	10 ft.
UFA20016	16 ft.
UFA20024	24 ft.
UFA20030	30 ft.


Concrete Embed Anchor Straps

With Loop and D-Ring



Model	Length
UFA20504	4 ft.
UFA20506	6 ft.

With Loops on Both Ends



Model	Length
UFA21004	4 ft.
UFA21006	6 ft.

ANCHORAGES (Continued)

Door Jamb/Window Anchor

UFA30401 | Door Jamb/Window Anchor, adjustable 23.6" - 49.2"

- KStrong Door Anchor provides a non–intrusive anchor point and can be easily installed inside the interior of a building or window opening enabling the most difficult jobs to get done safely and with confidence.
- KStrong Door Anchor can be installed by just compressing it against the door or window frame, jamming itself between the two vertical sides.
- It is constructed of Aluminum alloy, hence it is highly corrosion resistant and is lightweight, weighing less than 10.7 lbs.
- The arms of the KStrong Door Anchor are adjustable enabling installation on door/window frames of width from 23.62" to 49.21".
- Fast and easy Installation with built in adjustment knob hence no tools or drilling is required.
- Extremely portable design for easy transport, storage and usage. Every Door Anchor is provided with a deluxe carrying bag.





60 FT.
ADJUSTABLE
HANDY LINE™
2-PERSON TEMPORARY HORIZONTAL LIFELINE

UFA40110 | KStrong® Handy Line™ 60 ft. Adjustable 2-Person Temporary Horizontal Lifeline System

ADDITIONAL PRODUCTS

In addition to anchorages, body wear, connectors and devices, KStrong, also provides fall protection solutions for Confined Space Entry, Horizontal Lifeline systems, plus our evolving selection of Dropped Tool Prevention solutions.

Horizontal System

UFA40010 | KStrong® Wrangler™ 100 ft. Adjustable 4-Person Capacity Lightweight Quick Set-up Horizontal Lifeline System. Includes installation carabiner at each end, tension indicator, and two (2) UFA20006 6 ft. anchor straps.



100 FT. ADJUSTABLE WRANGLER™

4-PERSON TEMPORARY HORIZONTAL LIFELINE

Rescue and Descent



	Model	Description
A	UFT510010	10 ft. Adjustable Height Tripod with Dual Built-in Pulley Head Assembly
A	UFT510007	7 ft. Adjustable Height Tripod with Dual Built-in Pulley Head Assembly
B	UFT530060	60 ft. Winch
C	UFT531130	100 ft. Winch
D	UFS310060R	BRUTE™ 60 ft. 3-way SRL-R
E	UFS310100R	BRUTE™ 100 ft. 3-way SRL-R
F	UFT510010B	Mounting Bracket for 3-way SRL
Kit	UFT510010DK	10 ft. Deluxe Kit. Includes Tripod, 60 ft. 3-way Rescue Retrieval SRL-R with Mounting Bracket, 60 ft. Material / Personnel Winch, and Storage Bags for Tripod / Equipment.
Kit	UFT510010BK	10 ft. Basic Kit. Includes Tripod, 60 ft. Material / Personnel Winch, and Storage Bags for Tripod / Winch.

ADDITIONAL PRODUCTS (Continued)

Rescue and Descent Davits



	Model	Description
A	UFT551011DK	Megadavit™ H-Base Deluxe Kit. Includes H-Base Frame Assembly, 54 in. Column Mast, 3 ft. Cantilever Boom Arm with Winch Bracket, 60 ft. 3-way Rescue Retrieval SRL-R with Mounting Bracket, and 60 ft. Material / Personnel Winch
	UFT551011BK	Megadavit™ H-Base Basic Kit. Includes H-Base Frame Assembly, 54 in. Column Mast, and 3 ft. Cantilever Boom Arm with Winch Bracket
B	UFT555001	Megadavit™ H-Base Frame Assembly (High Strength Aluminum Alloy)
C	UFT556201	Megadavit™ 54 in. Column Mast (High Strength Aluminum Alloy)
D	UFT556101	Megadavit™ 36 in. Column Mast (High Strength Aluminum Alloy)
E	UFT556001	Megadavit™ 3 ft. Cantilever Boom Arm with Winch Bracket (High Strength Aluminum Alloy)
F	UFT555101	Megadavit™ Floor Mount Column Mast Receiver (SS316)
G	UFT555201	Megadavit™ Wall Mount Column Mast Receiver (SS316)
H	UFT555002	Megadavit™ Concrete Embed Column Mast Receiver (SS316)

ADDITIONAL PRODUCTS (Continued)

Rescue and Descent Davits



	Model	Description
J	UFT551080DK	Side Entry Davit Assembly Deluxe Kit with 60 ft. 3-way Rescue Retrieval SRL-R with Mounting Bracket
	UFT551080	Side Entry Davit Assembly with Retrieval Device Bracket (High Strength Aluminum Alloy)
K	UFT551021DK	Megadavit™ Floor Mount Deluxe Kit. Includes Floor Mount Column Mast Receiver, 54 in. Column Mast, 3 ft. Cantilever Boom Arm with Winch Bracket, 60 ft. 3-way Rescue Retrieval SRL-R with Mounting Bracket, and 60 ft. Material / Personnel Winch
	UFT551021BK	Megadavit™ Floor Mount Basic Kit. Includes Floor Mount Column Mast Receiver, 54 in. Column Mast, and 3 ft. Cantilever Boom Arm with Winch Bracket
L	UFT551031DK	Megadavit™ Wall Mount Deluxe Kit. Includes Wall Mount Column Mast Receiver, 54 in. Column Mast, 3 ft. Cantilever Boom Arm with Winch Bracket, 60 ft. 3-way Rescue Retrieval SRL-R with Mounting Bracket, and 60 ft. Material / Personnel Winch
	UFT551031BK	Megadavit™ Wall Mount Basic Kit. Includes Wall Mount Column Mast Receiver, 54 in. Column Mast, and 3 ft. Cantilever Boom Arm with Winch Bracket

Kaptor™ Drop Prevention

DL100021 | Locking Single Carabiner - 22 lbs. ANSI Rated



DL100022 | Dual Leg Locking Single Carabiner - 22 lbs. ANSI Rated



DA300411 | Wrist Tool Lanyard - 2 lbs.



DA300401 | Pull-On Wrist Lanyard with Buckle - 3 lbs.



DA300201 | Small Tool/Radio Holster



DA300301 | Tape Measure Trap



DA300101 | Elastic Hard Hat Lanyard w/ Clamp - 2 lbs.



DT700101 | Self-Adhering Tape Trap - 12 ft. Roll



KAPTOR™
DROP PREVENTION



Kaptor™ Kits

DK400101 | Tool Tethering Kit - 5 lbs. Consists of DL100201 in standard pack of 3, DL100401 in standard pack of 1, DT700101 in standard pack of 1



DK400201 | Tape Measure Coil Tethering Kit - 2 lbs. Consists of DL100501 & DA300301 in standard pack



DK400301 | Tape Measure Lanyard Tethering Kit - 2 lbs. Consists of DL100401 & DA300301 in standard pack



Tool Tethering Kits (DT700101 and DL100501 plus corresponding Web Tool Tail)

DK400151(S) | Web Tool Tail, 3 lbs. S - 2.5 inches



DK400152(M) | Web Tool Tail, 3 lbs. M - 4.5 inches



DK400153(L) | Web Tool Tail, 3 lbs. L - 5.5 inches



DK400154(XL) | Web Tool Tail, 3 lbs. XL - 6.5 inches



DK400155(2XL) | Web Tool Tail, 3 lbs. 2XL - 8.5 inches



Kaptor™ Tool Lanyards

UDL100012 | Dual Leg - 10 lbs.



DL100021 | Locking Single Carabiner - 22 lbs. ANSI Rated



DL100022 | Dual Leg Locking Single Carabiner - 22 lbs. ANSI Rated



DL100041 | Tool Lanyard Single Carabiner with Web Loop - 22 lbs.



DL100042 | Dual Leg Tool Lanyard Single Carabiner with Web Loops - 22 lbs.



DL100701 | Hook to Loop Bungee Tool Tether - 35 lbs.



DL100711 | Hook 2 Loop Tool Tether, Heavy Duty - 80 lbs.



DL100501 | Coiled Cable Lanyard - 2 lbs.



DL100601 | Clip2Loop Coil Tether, 10 Pack



DL100801 | Wire Loop Tool Tail - 2 lbs. (6-Pack)



DL100802 | Wire Screw Gate Tool Tail - 3 lbs. (6-Pack)



DL100401 | Detachable Elasticated Single Screwgate Carabiner - 5 lbs.



DL100400 | Detachable Elasticated Single Screwgate Carabiner (without Loop) - 5 lbs.



DL100201 | Accessory Kit - Detachable Loops 3-pack



DL100611 | D-Ring with Cord Loop, Attachment Points 10-pack



Kaptor™ Tool Lanyards

DL100101 | Elastic Loop Tool Tails Ext - 15 lbs. 3-pack



DL100151 | Elastic Loop Tool Tails Swivel - 10 lbs. 3-pack



DL100301 | Web Tool Tails, 3 lbs. 6-Pack S - 2.5 inches



DL100302 | Web Tool Tails, 3 lbs. 6-Pack M - 4.5 inches



DL100303 | Web Tool Tails, 3 lbs. 6-Pack L - 5.5 inches



DL100304 | Web Tool Tails, 3 lbs. 6-Pack XL - 6.5 inches



DL100305 | Web Tool Tails, 3 lbs. 6-Pack 2XL - 8.5 inches



DL100351 | Web Tool Tails with Swivel, 3 lbs. 6-pack S - 2.5 inches



DL100352 | Web Tool Tails with Swivel, 3 lbs. 6-pack M - 4.5 inches



DL100353 | Web Tool Tails with Swivel, 3 lbs. 6-pack L - 5.5 inches



DL100354 | Web Tool Tails with Swivel, 3 lbs. 6-pack XL - 6.5 inches



DL100355 | Web Tool Tails with Swivel, 3 lbs. 6-pack 2XL - 8.5 inches



DL200301 | Tool Cinch, Medium Duty, 35 lbs.



DL200311 | Tool Cinch, Single Wing, Medium Duty, 35 lbs.



DL200101 | Tool Cinch, Dual Wing, Medium Duty, 35 lbs.



DL200201 | Tool Cinch, Dual Wing, Medium Duty, 80 lbs.



ADDITIONAL PRODUCTS

Ladder Rescue System

UFR1018B | 18 ft. ladder with belay system



Ladder Climbing System for Fixed Ladders

• Consists of a vertical anchorage line made of stainless steel wire rope installed on a ladder using approprate mounting brackets.
• Stainless steel rope grab UFG602050 moves along with the user climbing up or down and locks them in case of fall.



Model	Length	Model	Length
USCLC020	20 ft.	USCLC080	80 ft.
USCLC030	30 ft.	USCLC090	90 ft.
USCLC040	40 ft.	USCLC0100	100 ft.
USCLC050	50 ft.	USCLC0130	130 ft.
USCLC060	60 ft.	USCLC0160	160 ft.
USCLC070	70 ft.	USCLC0200	200 ft.

UFF516000
KStrong® Ladder Extension Davit Kit for Fixed Ladders



KSTRONG® COMPASS™

THIS. IS. A. GAME CHANGER!

Your KStrong® fall protection gear just got an upgrade like no other.

KStrong Compass™ is a cloud-based software app which relieves the user from a mountain of paper records. The unique AIR system (Automated Inspection Reminder system) reminds a user of a pending competent person inspection that is required to minimize accidents that may happen due to equipment that has not been properly inspected.

Watch Demo Inspection Video
Scan with Camera

Compass™ Product Example
Scan with Camera

Compass™ Features

Introducing KStrong Compass™, the fall protection industry's first "free at your fingertips" mobile application for fall protection equipment asset management.

Pre-Use Inspection Instructions

The mobile app provides each user vital information on inspection and periodic maintenance needs and helps in increasing the life of the equipment.

Get Tech Data & Manuals

User Instruction Manuals, Technical Data Sheets, Declarations of Conformity, Product Images, Videos, PowerPoint presentations and more are available.

Track Usage

The KStrong Compass™ user management system allows equipment to be issued to individuals, thus ensuring accountability towards the upkeep of the equipment.

Use in the Field

If you have an IOS or ANDROID phone or device, that is all you need. Simply open the camera on your phone or device and scan the QR code, Label or RFID tag that is included with every KStrong product.

Get Reminders

The unique AIR system (Automated Inspection Reminder) reminds a user of a pending competent person inspection that is required to minimize accidents due to equipment that has not been properly inspected.



Download on the App Store

GET IT ON Google Play

QUICK INDEX

Part Number	Page No.
DA300101	34
DA300201	34
DA300301	34
DA300401	34
DA300411	34
DK400101	35
DK400151(S)	35
DK400152(M)	35
DK400153(L)	35
DK400154(XL)	35
DK400155(2XL)	35
DK400201	35
DK400301	35
DL100021	36
DL100022	36
DL100041	36
DL100042	36
DL100101	37
DL100151	37
DL100201	36
DL100301	37
DL100302	37
DL100303	37
DL100304	37
DL100305	37
DL100351	37
DL100352	37
DL100353	37
DL100354	37
DL100355	37
DL100401	36
DL100501	36
DL100601	36
DL100611	36
DL100701	36
DL100711	36
DL100801	36
DL100802	36
DL200101	37
DL200201	37
DL200301	37
DL200311	37
DT700101	34
UDL100012	36
UFA000WT	28
UFA20003	29
UFA20004	29
UFA20006	29
UFA20010	29
UFA20016	29
UFA20024	29
UFA20030	29
UFA20504	29
UFA20506	29
UFA21004	29
UFA21006	29
UFA30001	28
UFA30005	28
UFA30010	28
UFA30015	28
UFA30020	28
UFA30050	27
UFA30070	28
UFA30080	27
UFA30090	27
UFA30110	29
UFA30115	29
UFA30130	29
UFA30201	28
UFA30211	28
UFA30301	27
UFA30401	30
UFA30430	28
UFA40010	31
UFA40110	30
UFA55207SW(12)	28
UFA55207SW(18)	28
UFA55370	28
UFA710003	29
UFA710004	29
UFA710006	29
UFA710103	29
UFA710104	29
UFA710106	29
UFASWK58	27
UFB101025(L-XL)	27
UFB101050(L-XL)	27
UFB501125(L-XL)	27
UFC401100	26
UFC401101	26
UFC401110	26
UFC401400	26
UFC404150	26
UFC404450	26
UFC404500	26
UFC405100	26
UFC408100	26
UFC408120	26
UFC408450	26
UFC409151	9
UFDA0472	28
UFF516000	38
UFG601010	26
UFG602050	26
UFG611010	26
UFG611020	26
UFH10101G	10
UFH10101P	10
UFH10102G	11
UFH10102P	11
UFH10131G	10
UFH10131P	10
UFH10201G	12
UFH10201P	12
UFH10211G	13
UFH10231G	12
UFH10231P	12
UFH10251G	13
UFH10251P	13
UFH10331G	16
UFH10331P	16
UFH10332G	16
UFH10332P	16
UFH10341G	17
UFH10700P	20
UFH10701P	20
UFH10731P	20
UFH10732P	20
UFH10801GQ	17
UFH152011GQ	15
UFH15201GQ	14
UFH15201Q	15
UFH15203GQ	13
UFH15231GQ	15
UFH15231Q	15
UFH16201GP	11
UFH16231GP	11
UFK10010	21
UFK10015	21
UFK10025	21
UFK20010	21
UFK20015	21
UFK20025	21
UFL201101	24
UFS310010	2
UFL201101(03)	24
UFL201111	24
UFL201121	24
UFL201131	24
UFL201301	24
UFL201331	24
UFL201402	24
UFL201421	24
UFL201422	24
UFL201601	22
UFL201611	22
UFL201621	22
UFL201622	22
UFL201701	25
UFL201721	25
UFL204101	22
UFL204111	22
UFL204121	22
UFL204131	22
UFL205201	25
UFL205201(02)	25
UFL205201(03)	25
UFL205211	25
UFL205215	25
UFL205251	25
UFL205401	25
UFL206101	23
UFL206111	23
UFL206121	23
UFL206131	23
UFL206214	23
UFL206234	23
UFR100025	26
UFR100050	26
UFR100100	26
UFR100200	26
UFR100500	26
UFR1018B	38
UFR200025	26
UFR200050	26
UFR200100	26
UFR200200	26
UFR200500	26
UFR210025	26
UFR210050	26
UFR210100	26
UFR210200	26
UFS310018L	6
UFS310020	2
UFS310025L	6
UFS310030	2
UFS310050	2
UFS310050L	6
UFS310060R	31
UFS310080L	6
UFS310100	2
UFS310100R	31
UFS310130	3
UFS310150	3
UFS310206L	7
UFS310206LD	7
UFS314006L	7
UFS314006LD	7
UFS316106L	7
UFS316106LD	7
UFS319006L	7
UFS319006LD	7
UFS330008	2
UFS350002	5
UFS350002D	5
UFS350011	3
UFS350025	3
UFS351102	5
UFS351102D	5
UFS354002	5
UFS354002D	5
UFS356002	5
UFS356002D	5
UFS359002	5
UFS359002D	5
UFS359506	4
UFS359506D	4
UFS480020	8
UFS480020L	8
UFS480025L	8
UFS480030	8
UFS480050	8
UFS480050L	8
UFS5700100	9
UFS570030	9
UFS570060	9
UFT510007	31
UFT510010	31
UFT510010B	31
UFT510010BK	31
UFT510010DK	31
UFT530060	31
UFT531130	31
UFT551011BK	32
UFT551011DK	32
UFT551021BK	33
UFT551021DK	33
UFT551031BK	33
UFT551031DK	33
UFT551080	33
UFT551080DK	33
UFT555001	32
UFT555002	32
UFT555101	32
UFT555201	32
UFT556001	32
UFT556101	32
UFT556201	32
UFZ800100	21
UFZ801001	16
UFZ801011	17
UFZ801012	17
UFZ802001	21
UFZ802011	21
UFZ840010	17
UFZ840020	17
UFZ850100	13
USCLC0100	38
USCLC0130	38
USCLC0160	38
USCLC020	38
USCLC0200	38
USCLC030	38
USCLC040	38
USCLC050	38
USCLC060	38
USCLC070	38
USCLC080	38
USCLC090	38

KSTRONG®
UNRIVALED SAFETY.

KStrong Inc.

Address:
150 N. Radnor Chester Road Suite F200
Radnor, Pennsylvania 19087

Hours of Operation:
8am - 8pm EST
Phone/Fax:
1-833-KSTRONG
Website:
www.KStrong.com

Last Revision Date: June 14, 2022

Proud Members of:

AMERICAN SOCIETY OF SAFETY PROFESSIONALS

STAFDA MEMBER

DISTRIBUTOR PARTNERS OF AMERICA DPA BUYING GROUP Partners in Business